G. R. S. IX-5]

Previous references.

File No. 298-17

Serial Nos. 3-4

19 .

(Mysore)

Later references.

GENERAL AND REVENUE SECRETARIAT

Serial Nos 3-4

Part B for Dec. 1920

SUBJECT.

Question of meeting the cost of the increased establishments effected in the Mysore Chamarajendra Polytechnic and of staff of workshop for training the blind

To

The President, N. B. C. Committee

Bangalore.

G. R. S. III—1] 191 7.

GENERAL AND REVENUE SECRETARIAT.

(Emergency)

NOTES.

File No. 298 17

FILE HEADING.

Question of meeting the cost of drainage improvement effected by the Navsari Municipality in connection with the supply and of the supply of water for flushing the ...

From The President, Navsari Municipality, Navsari (Surat District), Bombay

No. 19 Dated 22. 7. 17 Received 23 Jul 17

Diary No. 670	Enclos. 1 File Spare Copies. —	Serial No. 3

BRIEF ABSTRACT OF LETTER.

States that owing to scarcity of funds at the credit of the Chatteram Municipality ~~the~~ their Water Works from its Chatteram ... (illegible) ... Co. ... (illegible) ...

NOTES AND ORDERS.

1) The Chatteram authorities cannot say that the cost of water connection cannot be borne by the Chatteram funds and request that Govt may get the reqd works done at their cost in view of the charitable nature of the work.

The Chatteram President has not given an initial estimate of the cost of the works.

NOTES—First Sheet.

G. R. S. III-2]

General and Revenue Secretariat. Mun File No. 298 of 1917.

Serial No

2) The matter has to be dealt with in the P. W. D. Mr. Mun may be transferred to the Secl. P.W.D for Kindly taking necl action as ~~requested~~ as early as possible

Sd
19-11-19

3) For orders

Sd
21-11-19

Sd 26/11/19

Sd 3-12-19

4) Transferred with compliments to the Secl to Govt. P. W. D for necl action ~~as early as possible~~ finally issued in the matter may be kindly sent to the Municipal Secy. for info.

5/12/19

Sd
Secl to Govt.
Municipal Deptt.

Sd 5-12-19

NOTE—Contn sheet

G. R. S. III-2]

General and Revenue Secretariat. | File No. of 191

Serial No.

U. O. no. 206/P. ue. D dt. 24/4/20

Returned with compliments to the Joint Secretary to Govt, Munhoi department, as the matter is not one which should be dealt with in the P. W. D.

2. A water connection for domestic purposes was given to the Cchatkam by the Municipality between 1900 and 1908 when the water works management was under its control. On this account, a free allowance of 33,334 gallons per month is given, based on the annual rental value of the building which is fixed at Rs. 2000 by the Municipality. The arrears outstanding on account of excess consumption charges to end of December 1919 is reported to be Rs. 1317-12-0. This amount has yet to be adjusted by the " " authorities.

3. The Exec. Engr: Water Supply division reports that in January last he sent to the Secretary of the Cchatkam an estimate amounting to Rs. 1364-3-0 for giving a special connection for the purpose of the flushing tanks and that the work has not yet been carried out.

4. Both the initial cost and the monthly consumption charges amounting Rs. 11-8-0 for 22,500 gallons have to be borne by the

NOTE—Contn. sheet.

Serial No.

Chathram authorities or by the Municipal Department - vide G.O. no: P.W. 1453- 91/ 9150 - 88. dated 13th November 1912 - 5. It is also a point to be considered whether the initial cost of providing the special water connection should not be debited to the same source from which the flushing tanks were constructed.

R.V. Sundaravenkata
For Secretary to Govt. P.W.D.
23-4-20

23/4/20

To Submitted for orders. The question of meeting the charges for the construction of flushing drain &c to the institution and for meeting the charges of water supplied by the Water Supply Dept for the purpose has to be decided

C.E.
1/5/20

1/5/20

AMT
3/5/20

To Secy)

Part of the file containing the order sanctioning the Construction of the flushing tanks

VJ 8/5/20

NOTE—Contn. sheet.

W.H.—02769—G.P.L. 2 000 - 1 21 19

G. R. S. III-2j

General and Revenue Secretariat. | File No. | of 191

Serial No.

Subd.

3 It will be seen from the letter of the of the N. B. C. F. Committee 8/19-4-17 (Sl. no. 1 in 298-17) that Flushing Sheds were newly built by the City Improvement Trust Board in the Nanjaraja Bahadur Chattram premises; and for want of funds at the credit of the institution, the cost was arranged to be recovered from the institution in 4 equal annual instalments. What the cost was, ~~and~~ whether it was recovered from the chattram funds and ~~when the~~ whether the estimate was sanctd by Govt in the Muzrai Depttt., cannot be ascertained from the letter.

10 A draft calling for the information is subd for approval or other orders -

8D 15.5.20 Sd 17.5.20

Sd Allt 19/-

4. To President N. B. C. F. Committee Mysore

No 4064 D. 21 5 1920.

Requests to send up, ~~for~~ copy ~~of~~ any, sanctioning the contributions of the following towns.

NOTE—Contd sheet

G. R. S. III-2]

General and Revenue Secretariat.

Mysg File No. 298 of 1917.

Serial No.

R

Letter No 8 dated the 8th August 1920 from the Secretary, Rayarayan Bahadur Chettur fund committee Mysore, request early orders in the matter of giving water connection to the flushing tanks newly built by the City Improvement Committee, Mysore

17 The President of the Committee has been requested to forward for reference a copy of the Government order, if any, sanctioning the construction of the flushing tanks in question and this has not been received yet. Subd for orders.

C.C. 18/8/20 Sd 18/8/20

13 Dy this Addition to it & call for the U/ 20/8/20 Sd Illegible

C.C. 20/8/20 Sd 20/8/20 Illegible U/20/8/20

NOTE—Contn. sheet.

G. R. S. III-2.

General and Revenue Secretariat.

File No. 298 of 1917.

Serial No.

Reminder issued
No 775 S/ 28.8.20.

5. Letter no 16 dated the 9th Sept 1920 from the Secretary N.B.C. Funds Committee, Mysore, stating that the flushing tank in question is part and parcel of the drainage work carried out by the Municipality in accordance with G.O. no 2620-22/Rev. 7. 537-16 2 dated 21.4.1917. Orders have to be passed as to the source from which the cost of giving water connection to the flushing tank in question has to be met. Submitted for orders

G.S. 17/9/20

17/9/20

For orders

24/9

Put up a draft to the President of the City

NOTE—Contn. sheet.

G. R. S. III-2]

General and Revenue Secretariat.

Meer File No. 298 of 1917.

Serial No.

water met? The notes are much too scrappy & do not give anything like a connected or complete account of the whole business. This is not satisfactory. I hope this file both may not be sent to us. but the case worked up & sent up for orders without any delay.

Peel
5.11.20

Submit written fine days. HJ-6/11/20

2. In letter No. 15 dated the 31st October 1916, the Secretary of the Navsari Bahadur Charities Funds Committee, myself, requested the Secretary to Govt. General and Revenue Departments, to move the Govt. to sanction the construction of certain flushing tanks at the Chowtram at the cost of Rs. 2000/-, and in this office letter no 2358/Jud. S1-14-76 dated the 8th September 1916 the officer was informed that

NOTE—Contn. sheet.

Serial No.

not prepared to pay for the work or to ask the Empore City Improvement Trust Board to pay for it

Later on in his letter no 88 dated the 26th March 1917 the President of the Chattram Committee submitted for sanction an estimate for Rs 2726/- for the drainage work in question and stated that the Trust Board of Empore had undertaken to execute the work and recover the cost there of in four annual instalments from the Chattram funds and in their order No 26 20-22/ Empro 557-16-2 dated the 21st April 1917, the Govt. sanctioned the estimate in question. the Cost being met from the funds of the Chattram by instalments as proposed

NOTE—Contn. sheet.

G. R. S. III-2]

General and Revenue Secretariat.

Insp File No. 258 of 1917.

Serial No.

Again in his letter No 52 dated the 19th Nov 1917, the Secretary of the Institution applied for sanction to get the work of giving water connection from the Public main to the newly constructed flushing tanks at the cost of Govt, the work being ~~to~~ be entrusted to the Trust Board for execution as before; but in this office letter No 613 Insp 298-17-2 the President was asked to explain what the initial cost of the various works amount to and why it should not be met from the funds at the credit of the Chattram.

In reply to his letter No 19 dated the 22nd Sept 1919 the President of the Committee forwarded an extract from the proceedings of the Committee.

NOTE—Contn. sheet.

General and Revenue Secretariat.

Urg File No. 298 of 1917.

Serial No.

held on the 17th Sept 1917 stating that owing to paucity of funds at the credit of the Cheltrem, the extra cost could not be met from the funds of the institution and that Govt be requested to undertake the work at its own cost in the interests of the travelling public.

4. There being no funds available at the disposal of the Municipal Council to meet the cost of the ~~proposed~~ piping in connection to the flushing tanks, it was proposed to address the President of the Civil Council, Mysore in the matter and a draft letter was submitted to, as per instructions, for approval.

27. As regards the question of water supply to religious and Charitable institutions in the State cities of Bangalore and Mysore, etc.,

NOTE—Contn. sheet.

G. R. S. III-2]

General and Revenue Secretariat.

Inwg File No. 298 of 1917

Serial No.

is invited to pages 15 to 19 of the office notes in Municipal File No 164-18 & 167, wherein and G.O. No R 8862-7 Jud. 164-18.6 dated the 6th February 1920 wherein the case of such institutions at Bangalore has been decided and list of such institutions deserving special treatment have been called for from the President of the Municipal Council at Mysore. (It is informally ascertained that the list called for in the G.O. has not yet been received from the President Municipal Council, Mysore.)

Returned for orders.

C.S. 16.11.20

16/11/20

The Case is a Very Simple one -

I doubt this!

NOTE—Contn. sheet.

G. R. S. III-2]

General and Revenue Secretariat.

Camp File No. 298 of 1917.

Serial No.

2) In April 1917, the Govt sanctioned ~~the~~ an Estimate for Rs 2726 for the Construction of a few flushing tanks at the Chatham, as the Trustboard had agreed to carry out the works & recover the cost from the Chatham funds in four instalments

3) The Chatham Committee now want a water connection to the flushing tanks at Govt Cost - They plead want of funds to pay for the work, ~~and~~ besides urging the Charitable nature of the ~~Institution~~ Institution -

4) It is now proposed to ask the Municipality if they can not see their way to bear the charge

ADC.

17-11-20

(Seen)

P.T.O.

NOTE—Contn. sheet

R. S. III-2]

General and Revenue Secretariat. | My File No. of 19 |

Serial No.

2833-72
19.11.20.

33) There is absolutely no justification for Ashraf Ali Mulla Co. to recoup their expenditure themselves. The flushing tanks have been installed by the C. I. T. at the request of the Chairman Committee, the cost being recovered from the latter in yearly annual instalments. The water connections with the necessary fittings for the installation for the flushing tanks of the Chairman Committee also by them. From if as stated it is laid upon the shoulders of the C.I.T may be asked by them to remove the pipes as unnecessary expenditure. I do not think this is a way that the Municipality can act in the matter.

20.11.20

Draft 22-11-20

22/11/20

22 Nov 20

Rs
24/11/20

34) Submitted with a revised draft as desired.
Rs 30/11
30/11/20

3.12.20

Note—Contn. sheet.

G. R. S. III-21

General and Revenue Secretariat. | File No. of 19 .

Serial No.

Please put up a U. draft
Ufr 4/12/20
AUC 4.12

A. correct draft

AUC 8/12/20.

Noted) Issue Ufr 9/12/20
AUC
9.12

6. To, President, N.W.F. Provincial Committee
No. 1653 dt. 1.12.20.

States that the Committee will be unable to
carry out work connected with the
Kohat-Kohat Pass road from the major portion
of the same undertaking, there are insufficient
owing to paucity of funds, the Chairman finds
it impossible to meet the cost, it is proposed
to charge [illegible] Pass to [illegible]
to recover the cost incurred in [illegible]
etc.

NOTE—Contn. sheet.

No 19

Office of the President
Victoria Dock Committee

Dated 20th September 1919
22

E.E.
15.10.19. Sent

DEP. SECRETARIES
MILITARY EXN
29 SEP 1919

From

The President
Victoria Dock Committee

670

298-17 To
3

The Secretary
to the Government of Bengal
Municipal Department
Bengal

Sir

Reference to your letter No 413 dated 20th August 1918-17-2
the 5th August 1918 requesting to know why the
Victoria Dock Committee should not pay the initial
cost of water connections to be given to the
Flushing Tanks newly built by the City
Improvement Trust Board in the premises
of Victoria Dock Chattrine I have
the honor to submit herewith an extract from
the Proceedings of a meeting of the Members
of the managing Committee held on the 17th
instant, on the subject and to state in

owing to the pressure of time
of the Committee, the cost could not be
at the expense of the instruction. It is
therefore requested that you will be so good
as to move the Government to undertake the
work in question at Government cost for
the interest of the travelling public who halts
in the Province. The enclosures of the letter under
reply are herewith submitted.

I have the honor to be,
Sir,
Your most Obedient Servant

J. S. Vanderdecken
Asst. President
N.B.C.R. Committee

K.I.P.

Extract from the proceedings of the Ordinary Meeting of the Members of the Managing Committee of Numaraal Baboon Chuckler Fund held in the Chuckler Building at 9 AM on the 17th September 1909.

VIII

Letter from the Joint Secretary to Government of My Sore Muzgarai Department, requesting why the Chuckler Committee should not bear the initial cost of water connection to the flushing latrines newly built by the Trust Board in the Chuckler premises.

Resolved to reply that the funds of the chuckler do not permit of the expenditure being incurred and to request that the expense may be borne by government

"Signed"

P. J. Bowring
President

"Extract"

V. Wanderman
Secretary
N. By C. J. Committee

WR

Proceedings of the ordinary Monthly
meeting of the members of the Managing Committee
of the N.P.B 6 Funds held in the Chamber buildings
at 5.30 P.M. on Saturday the 10th November 1917

President

Puttayappa urs Esquire in the Chair
L Lakshmana Rao Esquire President City
M.C. Council Mysore

K Keshavachar Esquire B.A. B.L Secretary
Mokkesar Basavalingiah Esqre.

Absent

L Mallikarjuna Esquire B.A. President
Y Ashvathanarayana Rao Esquire B.A. B.L
Exec Engineer Mysore Division:

IV Memo no: 326 m 1079/c 207 dated 5-11-17 from the Chairman City Improvement Trust Board forwarding copy of letter No: 2774 of the 16th October 1917 from the Asst to Engineer Trust Board about the water connection to be given to the 3 newly built flushing tanks in the Chamber and the adjustment of its initial cost.

Resolved that the Government be requested to order the supply of water to the flushing tanks free of charges as this is a charitable institution.

signed

"Copy"

Puttayappa urs
Chairman

K.K.

Secretary
N.P.B. 6 Funds Committee

Copy of letter No 274 dated the 16th October 1917 from the Assistant Engineer City Improvement Trust Board, Mysore to the Chairman City Improvement Trust Board, Mysore,

"

Drainage Improvements to Municipal Market Area.

"

I have the honour to report that three flush tanks have been built in connection with the above works. Water connection to these tanks will have to be arranged for by the Chamber Authorities.

each tank is of 125 gallons capacity They have to flush thrice a day each. Thus the quantity of water required per day will be 750 gallons and per one month it will be 22500. At 8 annas per 1000 gallons the monthly charge will be Rs 11-8-0

The above will be the recurring charges. The initial cost of water connection must also be borne from the Chamber funds.

Sd/ A R Venkata Subba Rao
Asst Engineer

No 326 M179/C207 9/16-17. Dated 5-11-1917.

Forwarded with compliments to the Secretary Municipal Bahadur Chamber Funds Committee

Committee for medical aid

Yours

Y. Lakshmana Rao
Chairman.

Copies

Secretary
N.V.B.T. Committee

K.V.R

G. R. S. VI—G/32]

SUBJECT. Calls for further information in the matter of adjustment of cost of water connection to be given to the flushing tanks built in the Nanjaraja Bahadur Chattram premises

Diary No. of letter replied to... 670

GENERAL AND REVENUE SECRETARIAT
(May)
the *191*

Date of issue 21.5.20

Signed by [illegible]

Section
File No. 295-1
Serial No. 4

No. 4062.

To

The Pres. & of the Nanjaraja Bahadur Chattram Trust Committee, Mysore -

Sir,

With reference to correspondence ending with your letter no. 19 & 22-9-19 requesting that the initial cost of water connection to be given to the flushing tanks newly built by the City Improvement Trust Board in the premises of the Nanjaraja Bahadur Chattram

may be borne by Govt. in the
interests of the travelling public,
who halt at the chattram, I am
directed to request that the Sanction may be given to grant a
~~number & date of the Govt order~~ to secure for reference a copy of
Sanctioning the ~~estimate for~~ for Construction, if any,
~~constructing the flushing~~ Construction of the
tanks, ~~may be furnished, if~~ flushing Tanks in
~~the estimate has been sanctd~~ this
~~by Govt in the Mysore Deptt~~
~~or any other Deptt.~~

I have etc

for Secretary
Mys: Deptt 19/5

8d
15.5.20

List of enclosures.

Copied by

Examined by

WD 1744—GPB—80,000—19-8 19

606

20 21
Smyrna
298-17
5

17 SEP 1920

CC
10/C

G. R. S. VI—G/32]

SUBJECT. Drainage improvements to the Nanjarayan Bahadur Chattram

Diary No. of letter replied to 607

General and Revenue Secretariat

(VII)

, the *191* .

Date of issue 4.12.20

Signed by [illegible]

Section Misc

File No. 178-19

Serial No.

No. 2123

To

The Executive Officer, [illegible] Chattram.

With reference to the correspondence ending with your letter [illegible] to forward the [illegible] to the [illegible] matter, I am directed to state that the works mentioned are necessary to complete the water [illegible] and [illegible] to [illegible]

Irrigation Committee should therefore pay for it.

2. But if not Stated, the Committee is in need of funds it is open to them to apply to the G. I. P. for the works, and to receive the Cost incurred in easy instalments as has been arranged in respect of the construction of line flushing tanks

Documents

List of enclosures.

Copied by

Examined by